

VELIKORETSKIY A.N., prof. (Moskva)

Diagnosis of stomach cancer. Fel'd. 1 akush.25 no.9:3-8 S '60.  
(MIRA 13:9)

(STOMACH—CANCER)

VELIKORETSKIY, A.N., prof.; MIKIRTUMOV, S.M., kand.med.nauk; KOCHIASHVILI, V.I., kand.med.nauk; KASAIKINA, T.N., kand.med.nauk; GALEYEV, M.A.; KAMALOV, M.Kh.; POTEKAYEVA, M.A., kand.med.nauk; SPASSKAYA, P.A.; VOLKOV, V.A., red.; GRECHISHCHEV, V.A., tekhn.red.

[Surgery for pancreatic cancer] Operativnoe lechenie raka podzheludochnoi zhelezy. Moskva, Izd-vo I-go Mosk.med.in-ta, 1959.  
173 p. (MIRA 13:10)

1. Klinika obshchey i gosptal'noy khirurgii sanitarno-gigiyenicheskogo fakul'teta I-go Moskovskogo ordena Lenina meditsinskogo instituta im. I.M.Sechenova (for Kochiashvili, Mikirtumov, Velikoretskiy).

(PANCREAS--CANCER)

VELIKORETSKIY, Abram Nikolayevich; LIKHACHOV, Andrey Gavrilovich

[Surgery in otorhinolaryngology] Bol' kirurzhikale shi bol'  
de nsa, gyt, urek'. Kishinou, Editura de Stat a Moldovei,  
1957. 126 p. (MIRA 12:11)

(OTOLARYNGOLOGY)

(SURGERY)

VELIKORUTSKIY, Abram Nikolayevich; KHUZHKOVA, V.A.

[Surgery] Khirurgiya. Izd. 8, stereotipnoe. Leningrad,  
Medgiz, 1958. 514 p. (MIRA 12:6)  
(SUROKRY)

VELIKORETSKIY, A.N., prof. (Moskva)

Burns. Fel'd 1 akush 22 no.6:47-48 June '57. (MIRA 12:3)  
(BURNS AND SCALDS)

VELIKORETSKIY, A.N., prof. (Moskva)

Injuries from electricity. Med.sestra 17 no.10:22-26 '58  
(MIRA 11:11)

(ELECTRICITY, INJURIES FROM)

VELIKORETSKIY, D.A.; LORIYE, K.M.; FINKEL', I.I.; GRIGORCHUK, Yu.F.;  
 BERGER, L.Kh.; UTROBINA, V.V.; KHARCHENKO, V.P.; MESHCHERYKOV, A.V.,  
 student V kursa; OBEREMCHENKO, Ya.V., kand.med.nauk; NIKITIN, A.V.;  
 MUKHOYEDOVA, S.N.; KUSMARTSEVA, L.V., assistant; KUZNETSOV, V.A.,  
 dotsent; KUKHTINOVA, R.A., assistant; BONDARENKO, Ya.D. (g. Fastov);  
 KURTASOVA, L.V. (g. Fastov); PEVCHIKH, V.V.; CHURAKOVA, A.Ye.;  
 BABICH, M.M.; KUZ'MIN, K.P.; PAVLOV, S.S.; SHEVLYAKOV, L.V., kand.  
 med.nauk; IGNAT'YEVA, O.M.; ZEYGERMAKHER, G.A.; GUTKIN, A.A.;  
 POLYKOVSKIY, T.S.

Resumes. Sov.med. 25 no.11:147-152 N '61.

(MIRA 15:5)

1. Iz Instituta grudnoy khirurgii AMN SSSR (for Velikoretskiy, Loriye, Finkel').
2. Iz bol'nitsy No.3 Gorlovki Stalinskoy oblasti (for Grigorchuk).
3. Iz Tyumenskoy oblastnoy bol'nitsy (for Berger, Utrobina).
4. Iz Karatasskoy rayonnoy bol'nitsy Yuzhno-Kazakhstanskoy oblasti (for Kharchenko).
5. Iz Gospital'noy khirurgicheskoy kliniki I Moskovskogo ordena Lenina meditsinskogo instituta imeni Sechenova (for Meshcheryakov).
6. Iz kliniki propedevticheskoy terapii Stalinskogo meditsinskogo instituta na baze oblastnoy klinicheskoy bol'nitsy imeni Kalinina (for Oberemchenko).
7. Iz kliniki gospital'noy terapii Voronezhskogo meditsinskogo instituta (for Nikitin, Mukhoyedova).
8. Iz kafedry obshchey khirurgii Kishinovskogo meditsinskogo instituta (for Kusmartseva).

(Continued on next card)

VELIKORETSKIY, D.A. (Moskva, Novoslobodskaya ul., d.35.kv.6)

Apparatus for continuous suction of liquid and air from the pleural cavity. Grud. khir. 1. no.2:104-106 Mr-Apr '59.

(MIRA 16:7)

1. Iz legochnogo otdeleniya (zav.-doktor meditsinskikh nauk Ye.S.Lushnikov) Instituta grudnoy khirurgii AMN SSSR (dir.-prof. A.A.Busalov, nauchnyy rukovoditel' - akademik A.N.Bakulev).  
(PNEUMOTHORAX) (SURGICAL INSTRUMENTS AND APPARATUS)



VELIKORETSKIY, D.A.

Surgical excision of a cardiac aneurysm in a 66-year-old man. Grud.  
khir. no.4:102-103 JI-Ag '62. (MIRA 15:10)

1. Iz Instituta serdechno-sosudistoy khirurgii (dir. - prof. S.A.  
Kolesnikov, nauchnyy rukovoditel' - akad. A.N.Bakulev) AMN SSSR.  
(CARDIAC ANEURYSMS)

GEMIN, N. M.; VELIKORETSKIY, D. A.

Aneurysm of the left atrium in a patient with a mitral defect.  
(MIRA 14:12)  
Grud. khir. no. 4:104-105 '61.

1. Iz Instituta grudnoy khirurgii (dir. -- prof. S. A. Kolesnikov)  
AMN SSSR. Idres avtora: Moskva, Arbat, d. 54/2, kv. 158.

(ANEURYSMS) (MITRAL VALVE---DISEASES)

LEBEDEVA, Z.K., kapt.tekhn.nauk; VELIKOROSTOVA, M.A., inzh.

Amount of air dissolved in oils and its effect on the  
keeping quality of oils. Masl.-shir.prom. 25 no.11:  
17-21 '59. (MIRA 13:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut shirov.  
(Oils and fats) (Air)

VELIKORETSKIY, O.

Main requirements; comfort, economy and beauty. Sov. torg.  
(MIRA 16:8)  
36 no.7:17-23 J1 '63.


1. Glavnyy arkhitektors Gosudarstvennogo instituta po proyektirovaniyu predpriyatiy torgovli i obshchestvennogo pitaniya.  
(Stores, Retail)

VELIKORETSKIY, Oleg Abramovich; ZAKHARIN, Aleksandr Davydovich; LYUDSKOV,  
B.P., red.; BRODSKIY, M.P., tekhn. red.

[Lighting for stores] Osveshchenie magazinov. Moskva, Gos. izd-vo  
torg.lit-ry, 1961. 71 p. (MIRA 14:11)  
(Stores, Retail—Lighting)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859320006-7



APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859320006-7"

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859320006-7

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859320006-7"

VELIKONOV, M.A.

Publications of Soviet geophysicists on problems in the hydrology  
of arid regions. Izv. AN SSSR. Ser. geofiz. no.11:1384-1388 N '57.  
(Hydrology) (Arid regions) (MIRA 10:11)



VELIKORETSKIY, A.E.; KRESTOVNIKOVA, G.S.

Penicillin therapy in acute appendicitis. Sovet. med. no.  
10:8-10 Oct. 1950. (CML 20:1)

1. Of the Second Hospital Surgical Clinic (Head -- Prof. A. N. Velikoretskiy), Moscow Medical Institute of the Ministry of Public Health RSFSR.

VELIKORETSKIY, D.A. (Moskva)

Blood loss in internal hemorrhages and first aid in relation to them.  
Fel'd. i akush. 25 no.11:3-7 N '60. (MIRA 13:11)  
(HEMORRHAGE)

VELIKORUSSOVA, G.V., dotsent

Use of intranasal novocaine block in children. Zhur. ush., nos.  
i gorl. bol. 20 no. 3:53-56 My~~4~~Je '60. (MIRA 14:4)

1. Iz kafedry bolezney ukha, gorla i nosa (zav. - prof. I.I.  
Shcherbatov) pediatricheskogo fakul'teta II Moskovskogo  
meditsinskogo instituta imeni N.I. Pirogova.  
(RESPIRATORY ORGANS—DISEASES) (NOVOCAINE)

VELIKORUSSOVA, N.V., dotsent

Treatment of papillomatosis of the larynx in children by intravenous administration of novocaine. Vest. otorin. 24 no.6: (MIRA 16:7)  
72-76 N-D'62.

1. Iz kliniki bolezney ukha, gorla i nosa (zav. kafedroy -  
prof. I.I.Shcherbatov) pediatricheskogo fakul'teta II Mosk-  
ovskogo meditsinskogo instituta imeni N.I.Pirogova.  
(LARYNX—TUMORS) (NOVOCAINE)  
(INJECTIONS, INTRAVENOUS)

VELIKORUSSOVA, N. V., dotsent; ARTEMKINA, L. N., kand. med. nauk

Acute neuritis during novembichine therapy of a child suffering  
from a hearing disorder. Vest. otorin. no. 2:95-96 '62.  
(MIRA 15:2)

1. Iz otorinolaringologicheskoy kliniki pediatricheskogo fakul'-  
teta (zav. - prof. I. I. Shcherbatov) i kliniki gosspital'noy  
pediatrii (zav. - prof. K. F. Popov) II Moskovskogo gosudarstvennogo  
meditsinskogo instituta imeni N. I. Pirogova na bazo detskoy  
klinicheskoy bol'nitsy imeni prof. N. F. Filatova.

(DEFECTIVE HEARING IN CHILDREN)  
(EMBICHINE) (NEURITIS)

LEBKEDEV, V.V.: VELIKORITSKIY, D.A. (Moskva)

Contusions of the thoracic cavity and rib fractures. <sup>1</sup>el'd.  
1 akush. 25 no.3:15-21 Mr. '60. (MIRA 13:6)  
(CHEST--WOUNDS AND INJURIES) (RIBS--FRACTURE)

VELIKORUSSOVA, N. V., dotsent

Fibrous dysplasia of the maxilla in children. Vest. otorin.  
no.1:48-53 '62. (MIRA 15:7)

1. Iz kliniki bolezney ukha, gorla i nosa (zav. - prof. I. I. Shcherbatov) pediatricheskogo fakul'teta II Moskovskogo meditsinskogo instituta imeni N. I. Pirogova.

(JAWS—DISEASES)

VELIKORUSSOVA, N.V.

Intratracheal administration of penicillin. Vest. otorinolar., Moskva  
14 no. 4:49-54 July-Aug. 1952. (CLML 22:5)

1. Candidate Medical Sciences. 2. Of the Scientific-Research Institute  
for Diseases of the Ear, Throat, and Nose of the Ministry of Public  
Health RSFSR (Director -- Prof. V. K. Trutnev, Honored Worker in Science)  
and of the Department of Anatomy (Head -- Prof. G. F. Ivanov), First  
Moscow Order of Lenin Medical Institute.



VELIKORUSSAVA, N.V.

SAKHAROV, P.P.; TOKMAN, A.S.; ~~VELIKORUSSOVA, N.V.~~

First All-Russian Conference of Otorhinolaryngologists. Vest.oto-rin.  
18 no.6:82-87 N-D '56. (MIRA 10:2)  
(OTORHINOLARYNGOLOGY)

TRUTNEV, V.K., prof. ~~VELIKORUSSOYA, N.V.~~

Condition of the upper respiratory tract in acute ammonia poisoning. Trudy gos.nauch.-issl.inst.ukha, gorla i nosa. (MIRA 12:10)  
6:370-378 '55.

1. Iz klinicheskogo otdeleniya Gosudarstvennogo nauchno-issledovatel'skogo instituta ukha, gorla i nosa.  
(AMMONIA--TOXICOLOGY) (RESPIRATORY ORGANS)

VELIKOSELETS, I., student; LINEVICH, Ya., student; PRONICHEV, Ye., student;  
MAKLETSOVA, N., dotsent, nauchnyy rukovoditel'; TRAKHTENBERG, N.,  
dotsent, nauchnyy rukovoditel'.

New principles in planning and building large urban residential  
blocks as exemplified by the planning of a microdistrict in the  
city of Minsk. Sbor.nauch.trud.Bel.politekh.inst. no.81:  
139-146 '59. (MIRA 13:5)  
(Minsk--City planning)

VELIKOSLAVINSKIY, D.A.; YELISEYEV, N.A.; MIKHAYLOV, D.A.; SOLOV'YEV, S.P.

Sergii Vladimirovich Obruchev, 1891-1965; obituary. Zap.  
Vses. min. ob-va 94 no.6:735-736 '65. (MIRA 18:12)

VELIKOSL'SKIY, M.A.

Completion of a slim plant hole with considerate deflection  
in fields of the Drilling Trust of the Almat'yevsk Petroleum  
Industry. Trudy VNIIBT no. 2:39-42 '63. (MIRA 17:9)

VELIKOSHEL'SKIY, N.D., irsh.

Providing for the safe operation of floating cranes with flexible  
ties. Sudostroenie no. 7:12-18 J1 '60. (MIRA 13:7)  
(Floating cranes)

VELIKOSSEL'SKIY, N.D., inzhener.

Towing gear of new design for pushing vessels on water reservoirs.  
Rech. transp. 16 no.2:16-21 7 '57. (MIRA 10:3)  
(Towing)

VELIKOSHEL'SKIY, N. P. (Lugherer).

Determining strains on the linkage gear of a tow being pushed.  
Sudostroenie 23 no.6:5-8 Ja '57. (MIRA 10:7)  
(Towing) (Ship propulsion)



VELIKOSHEL'SKIY, Nikolay Dmitriyevich; KLIMOV, Andrey Stepanovich; SHMAKOV,  
Mikhail Georgiyevich; KRAKOVSKIY, I.I., nauchnyy red.; KAZAROV,  
Yu.S., red.; TSAL, R.K., tekhn.red.

[Ship equipment on towing trains; their design and calculations]  
Sudovye ustroystva tolkaemykh sostavov; proektirovaniye i raschet.  
Leningrad, Gos.soiuznoe izd-vo sudostroit.promyshl., 1959. 235 p.  
(MIRA 13:1)

(Towing--Equipment and supplies)

(Inland navigation)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859320006-7

Cord

1/6

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001859320006-7"

**"APPROVED FOR RELEASE: 09/01/2001**

**CIA-RDP86-00513R001859320006-7**

**APPROVED FOR RELEASE: 09/01/2001**

**CIA-RDP86-00513R001859320006-7"**

VELIKOSLAVINSKAYA, O.I.

Natural sources of phytol. Vit. res. 1 ikh isp. no.6:185-  
192 '63. (MIRA 17:1)

1. Moskovskiy tekhnologicheskiy institut pishchevoy  
promyshlennosti.

VELIKOSLAVINSKAYA, O.I.; GRIGOR'YEVA, L.F.; BUKIN, V.N.

Chemical method for determining vitamin B<sub>12</sub> in bacterial  
biomass and culture liquids. Prikl. biokhim. i mikrobiol.  
1 no.2:155-162 Mr-Apr '65. (MIRA 18:11)

1. Tekhnologicheskij institut pishchevoy promyshlennosti,  
Moskva.

Ferric compounds obtained by reducing nitrobenzene with metallic iron. I. I. Riskin. *J. Applied Chem. (U.S.S.R.)* 10, 114 (1936). The object was the investigation of the conditions controlling the color of the oxides formed by the reduction of  $\text{PhNO}_2$  in the presence of Fe. The expts. were undertaken to investigate the possibility of using colored Fe oxides as pigments. The color and the nature of the ppt. obtained by this reduction process depend on the nature of the electrolyte. Electrolytes consisting of nonhydrolyzing heavy-metal salts (Fe, Mn, Zn) and salts of the alkali or alk. earth metals give a black ppt. formed either by  $\text{FeO}$ , or by a mixt. of  $\text{FeO}$  and  $\text{Fe}_2\text{O}_3$ . Electrolytes consisting of salts which hydrolyze (Al, Cr, Sn) give oxides whose compn. and color depend on the nature and concn. of the electrolyte. At low concns. the oxide formed is black  $\text{Fe}_2\text{O}_3$ ; when the concn. is increased to a certain limit characteristic of each electrolyte yellow oxides appear. The shade of these oxides can vary from light yellow to reddish brown, depending on the different mixts. of oxides and hydroxides formed. These results and a preliminary investigation of direct interaction between various electrolytes and Fe lead to the following conclusions: The reduction of nitrobenzene is affected mainly by the products of hydrolysis of the electrolyte used in the reaction and not by the salts initially present in the soln. The color of the ppt. formed is unaffected by the hydroxides of metals which cannot hydrolyze but is detd. by the electrolytes which can hydrolyze; Al salts appear to be the most

efficient. II. Light-yellow ferric hydrate—methods of obtaining and technical properties. I. Riskin and T. Velikodavinskaya. *Ibid.* 262-70. With  $\text{AlCl}_3$  as the concn. is increased, the oxides formed pass from a mixt. of  $\text{Fe}_2\text{O}_3$  and  $\text{FeO}$  (low concn.) to pure  $\text{Fe}_2\text{O}_3$ , and finally to a stable hydrated oxide which does not change on further increase of the concn. of  $\text{AlCl}_3$ . The color of the ppt., however, varies continuously even when the compn. remains const. With  $\text{AlCl}_3 + \text{FeCl}_3$  the optimum color and compn. of the ppt. corresponding to 20%  $\text{AlCl}_3$  can be reproduced with 7%  $\text{AlCl}_3$  if an adequate amt. of  $\text{FeCl}_3$  is present in the soln., the total amt. of Fe ions corresponding to the result of the reaction between Fe and 20%  $\text{AlCl}_3$  in absence of  $\text{FeCl}_3$ . The presence of  $\text{FeCl}_3$  in the electrolyte not only stimulates the reduction reaction but also conditions the color and the compn. of the desired ppt. When  $\text{FeCl}_3$  is replaced by other types of chlorides, it becomes impossible to obtain iron hydroxide in general, and the yellow hydroxide in particular, even in presence of important proportions of  $\text{AlCl}_3$ . The presence of aluminum sulfate reduces the velocity of reduction (while iron sulfate does not); the ppt. is dull, and its color changes when it is mixed with oil. Impurities present in the Fe affect the shade and the purity of the color. The hydroxide formed in a mixt. of  $\text{AlCl}_3 + \text{FeCl}_3$  gives a pigment whose oil absorption is low and whose covering capacity is higher than those of other comm. metallic pigments. III. Influence of certain factors on the composition and color of


1ST AND 2ND ORDERS										100 AND 4TH ORDERS									
PROCESSES AND PROPERTIES INDEX																			
<p>Preparation of titanium oxide for the viscose industry.  <i>L. Velikoslavskaya. Novosti Tekhniki 1940, No. 19.</i>            29.—The <math>TiO_2</math> product contains about 80-90% material            of 1 <math>\mu</math> and 16-37% of up to 0.75 <math>\mu</math>. The <math>TiO_2</math> is then            subjected to wet grinding and hydro-sepn. The stable            suspension necessary for hydro-sepn. should have a <math>TiO_2</math>            concn. not greater than 150-100 g./l. Alkali was found            to be a good stabiliser for the suspension. The suspension            is coagulated by electrolytes and the <math>TiO_2</math> flakes are            sep'd. from the liquid by decantation. B. Z. K.</p>																			
<p>ASB-35A METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>100000 00 10 00 00 00 00 00 00 00</p>										<p>000000 00 00 00 00 00 00 00 00 00</p>									

VELIKOSLAVINSKAYA, T. A.  
M. S. PLATONOV, Izv. Leningradsk. gos. univ. 1938, No. 9-10, 24-25



26

*Determination of lead acetate in dry white lead.* V. B. Sabunayev and T. A. Velikoslavinskaya. *Anal. Chem.* 1943, No. 7, 11. Lead acetate is always present in white lead. When it comes in contact with moisture, it partly hydrolyzes liberating free acetic acid which is a strong corrosive agent. The following method is recommended after a check of the existing method: About 20 g. white lead is put into a 250-cc. round-bottom flask connected with a 100 cm. separating funnel and a K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> head connected with a 100 cm. funnel and a K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> head. All the H<sub>2</sub>SO<sub>4</sub> of the liquid does not. Forty cc. of H<sub>2</sub>O is added to the liquid. The separating funnel was carried until the vol. of the steam distn. without steam was collected. The distillate was about 40 cc. Then the product was distd. with steam until a 200-cc. distillate was collected. The distillate was placed in a graduated flask add. to vol. and carefully mixed. One 50-cc. portion is titrated until the color remains phenolphthalein as an indicator until the color remains for 4-5 min. Another 50-cc. portion was treated with excess of 8-10 cc. of 0.1 N Ba(OH)<sub>2</sub> and 1-2 g. solid BaCl<sub>2</sub>·H<sub>2</sub>O. The excess of Ba(OH)<sub>2</sub> was back titrated with 0.1 N HCl. Not more than 2-3 drops of HCl per around should be added. For greater accuracy titration should be carried out with tartaric acid or with H<sub>2</sub>SO<sub>4</sub> glycerol mist. Calculs. are based on the following formula: lead acetate  $\% = 9.75(2a - b + c)/d$  where  $a$  = cc. 0.1 N NaOH used in back titration and  $d$  = wt. of white lead. The accuracy of the method is 0.1%.



1ST AND 2ND COVERS										1ST AND 2ND COVERS									
PROCESSING AND PROPERTIES INDEX																			
<div style="display: flex; justify-content: space-between;"> <span>CA</span> <span>18</span> </div> <div style="text-align: center;"> <p><b>Hydrolysis of titanium sulfate.</b> B. A. Tsarev and T. A. Velikolainikova. <i>Sov. Akad. Nauk. Dokl. Akad. Nauk. SSSR</i>, 1939, No. 6-7, 26-7; cf. C. A. M. 1940. Evapn. of hydrolyzing solns. of Ti sulfate shows reversibility of the reaction. It is known that solns. contg. 120 g. TiH<sub>4</sub> per l. and having an acid value of 4 hydrolyze to the extent of 98%. At the end of hydrolysis the acid value increases to 100. Soln. begins when the acid value is 12-17. However, if evapn. of the soln. is stopped when an acid value of 17 is reached, hydrolysis reaches 95%. Toward the end of hydrolysis the acid value reaches 40. Evapn. of hydrolyzing soln. changes 2 variables simultaneously; it increases the acidity of the medium and increases the b. p. of the soln. Titanium sulfate and metatitanic acid can be hydrolyzed intermediates.</p> <p><b>Ceramic filters for metatitanic pulp.</b> Høkkberg, Erin, Krylov and Evlova. <i>Sov. Akad. Nauk. Dokl. Akad. Nauk. SSSR</i>, 1939, No. 6-7, 26. Ceramic filters can be used for the filtration of metatitanic pulps. When they get stopped up, hot acid cleans out the pores.</p> <p style="text-align: right;">David Achmuty</p> </div>																			
<div style="display: flex; justify-content: space-between;"> <span>1ST AND 2ND COVERS</span> <span>1ST AND 2ND COVERS</span> </div>																			

18

CA

Hydrolysis of titanium sulfate. B. A. Tsarev and Velikodavinskii. *Byull. Loko-Krasnoyarsk. Prom.* 1938, No. 6-7, 39-45; *Khim. Referat. Zhur.* 2, No. 2, 107 (1939).

--As a result of preliminary expts. for the prepn. of  $TiO_2$  by hydrolysis of dil. solns. of  $Ti(SO_4)_3$  (about 120 g./l.), products of satisfactory filtering properties and color were obtained. Three methods were used: (1) a preliminary hydrolysis of 10-20% of the total vol. of soln. at a concn. of  $Ti(SO_4)_3$  of 250 g./l. followed by addn. of dil.  $Ti(SO_4)_3$  with a ratio ( $R$ ) of active acid to  $TiO_2$  of 2.45 or 2.54; (2) a preliminary hydrolysis of the  $Ti(SO_4)_3$  soln. ( $R = 2.05$ ) equal to 10-20% of the total vol., followed by the addn. of basic or neutral sulfate; (3) hydrolysis of the weak  $Ti(SO_4)_3$  solns. with  $R = 2.44$  in the presence of  $ZnO$ . The  $ZnO$  increased considerably the velocity of hydrolysis during the first hr., after which the velocity dropped sharply. Tests of direct hydrolysis of dil. basic or neutral solns. gave products of poor filtering properties.

W. R. Henn

ASB-56A METALLURGICAL LITERATURE CLASSIFICATION

VERIKOBAYEVSKIY, D.A.; 1970, D.V.

Stratigraphy and petrography of the Upper Pre-Cambrian  
of the Northern Baikal Highland and Inian Plateau conjugated  
area. Trudy Vses. geol. shkoly. 1970, 12, 1, 11-12 (MIRA 17:9)

OBRUCHEV, S.V., *otv. red.*; VELIKOSLAVINSKIY, D.A., *red.*; KELLER, B.M., *red.*; KRATS, K.O., *red.*; MEYELOV, A.N., *red.*; PAVLOVSKIY, Ye.V., *red.*; POLOVINKINA, Yu.Ir., *red.*; SEMENKO, N.P., *red.*; SALOP, L.I., *red.*

[Pre-Cambrian geology] *Geologiya dokembrii*. Moskva, Nedra, 1964. 284 p. (Its *Doklady sovetskikh geologov. Problema 10*) (MIRA 17:8)

1. International Geological Congress. 22d, 1964.

MANUYLOVA, Mariya Mikhaylovna; VAS'KOVSKIY, Dmitriy Petrovich;  
GURULEV, Stanislav Andreyevich; VELIKOSLAVINSKIY, D.A.,  
kand. geol.-min. nauk, otv. red.

[Geology of the Pre-Cambrian in the northern part of the  
Lake Baikal region] Geologiya dokembrii Severnogo Pri-  
baikal'ia. Moskva, Izd-vo "Nauka," 1964. 225 p.  
(MIRA 17:8)

KNYAZEVA, G.D.; MILAYEVA, M.A.; VELIKORETSKIY, D.A.; DERZHAVETS, L.Kh.

Fluorescence method of determining the limits of ischemic  
zones in an experimental infarct. Grudn. khir. 5 no.4:43-44  
Jl-Ag'63 (MIRA 17:1)

1. Iz laboratorii patomorfologii (zav. - prof. Ya.L.Rapoport)  
i sosudistogo otdeleniya (zav. - prof. Yu.Ye.Berezov) Insti-  
tuta serdechno-sosudistoy khirurgii (dir. - prof. S.A.  
Kolesnikov) AMN SSSR. Adres avtora: Moskva V-49, Leninskiy  
prosp., d.8, Institut serdechno-sosudistoy khirurgii AMN SSSR.



VORNIKOSLAVINSKIY, D.A.; KAZAKOV, A.N.; GERLING, E.K.

Age of geological formations in the Northern Baikal Highland.  
Trudy Lab.geol.dokl. no.12:281-290 '61. (MIRA 14:11)  
(Northern Baikal Highland—Geological time)

VELIKOSLAVINSKIY, D.A.

Changes in the composition of biotites and garnets from various metamorphic zones in the Mama-Bodaybo formation (Northern Baikal Highland). Trudy Lab. geol. dokem. no.11:302-307 '60.

(MIRA 14:1)

(Northern Baikal Highland—Biotite)

(Northern Baikal Highland—Garnet)

VELIKOSLAVINSKIY, D.A.; POLKANOV, A.A., akademik, redaktor; YELISEYEV, N.A.,  
professor, redaktor; SHCHEGLOV, A.D., redaktor.

Petrology of the Vyborg rapakivi massif. Trudy Lab.geol.dokem.  
no.3:3-141 '53. (MIRA 8:4)

1. Chlen-korrespondent Akademii nauk SSSR (for Yeliseyev).  
(Baltic shield—Granite)

VELIKOSLAVINSKIY, D.A.: SOKOLOV, Yu.M.

Relationship between the genesis and mineralization of pegmatites on the one hand and the areal metamorphism on the other as illustrated by the pegmatites in the Mama region. Zap.Vses.min. ob-va 89 no.2:208-213 '60. (MIRA 13:7)

1. Laboratoriya geologii dokembriya AN SSSR, Leningrad.  
(Pegmatites) (Metamorphism (Geology))

SUDOVNIKOV, N.G., doktor geol.-miner. nauk, prof. red.;  
VELIKOSLAVINSKIY, D.A., kand. geol.-miner. nauk, red.;  
KRYLOVA, M.D., kand. geol.-miner. nauk, red.; NEYLOV,  
A.N., kand. geol.-miner. nauk, red.; SOKOLOV, Yu.M.,  
kand. geol.-miner. nauk, red.

[Regional metamorphism of Precambrian formations in the  
U.S.S.R.] Regional'nyi metamorfizm dakenbriiskikh forma-  
tsii SSSR. Moskva, Nauka, 1985. 142 p. (MIRA 18:10)

1. Akademiya nauk SSSR. Laboratoriya geologii dakenbriya.

BORODINA, M.L.; VELIKOSLAVINSKAYA, T.A.; DAVYDOVSKAYA, B.L.

Advantage of using high titanium content ilmenite slags instead of ilmenite for the production of titanium dioxide by the sulfuric acid method. Titan i ego splavy no.2:73-77 '59.  
(MIRA 13:6)

(Titanium oxides) (Slag)

BOLOBAN, Nikolay Aleksandrovich; BELEVICH, Vladimir Borisovich;  
VELIKOTSKIY, Aleksandr Nikolayevich; MACHABELI, Shota  
Levanovich; RUFFEL', N.A., nauchn. red.; ZVORYKINA, L.N.,  
red.; MIKHEYEVA, A.A., tekhn. red.

[Assembling precast concrete structures] Montazh sbornyykh  
zhelezobetonnykh konstruktsii. [By] N.A. Boloban. 1 dr.  
Moskva, Gosstroizdat, 1963. 344 p. (MIRA 16:10)  
(Precast concrete construction)

BREMENER, S.M.; VELIKOVSKAYA, M.M.; ZUYEVA, Z.V.; LANINA, N.V.;  
TARNOPOL'SKAYA, P.D.

Use of vitamin B<sub>6</sub> and B<sub>12</sub> in compound treatment of stomach  
and duodenal ulcer. Vest. AMN SSSR 18 no.2:85-87 '63.

(MIRA 17:5)

1. Nauchno-issledovatel'skiy institut vitaminologii Ministerstva  
zdravookhraneniya SSSR.



VEL'KOV, A.M.

Clay interlayers in carbonate rocks of the Frasnian stage west of the Volga in Saratov Province. Izv. vys. ucheb. zav.; neft' i gaz 3 no.8:11-15 '60. (MIRA 14:4)

1. Saratovskiy gosudarstvennyy universitet imeni N.G.Chernyshevskogo.

(Saratov Province--Clay)

VEL'KOV, A.M.

Hydrochemical indicator of oil and gas occurrences. Geol. nefti  
i gaza 4 no.9:41-43 S 160. (MIRA 13:8)

1. Nizhne-Volzhskiy filial Vsesoyuznogo nauchno-issledovatel'skogo  
geologo-razvedochnogo neftyanogo instituta.  
(Petroleum) (Water, Underground) (Oxidation)

BALAYEV, V.A.; VEL'KOV, A.M.; KONDRAT'YEVA, M.G.

Jointing of Devonian carbonate rocks in the Volga Valley  
portion of Saratov Province. Izv.vys.ucheb.zav.; neft' i gaz 4  
no.7:17-22 '61. (MIRA 14:10)

1. Saratovskiy gosudarstvennyy universitet im. M.G.Chernyshevskogo.  
(Saratov Province--Petroleum geology)  
(Joints (Geology))

VEL'KOV, A.M.

Outlook for oil and gas potentials of Devonian carbonate rocks west  
of the Volga in Saratov Province. Geol. nefti i gaza 5 no. 5:30-34  
My '61. (MIRA 14:4)

1. Nizhne-Volzhskiy NIG i G.  
(Saratov Province—Petroleum geology)  
(Saratov Province—Gas, Natural—Geology)

L 07803-67

ACC NR: AP6033485

SOURCE CODE: UR/0413/66/000/018/0088/0088

INVENTOR: Velikov, K. A.; Shemanskiy, G. A.; Sadovnikov, B. I.

ORG: none

TITLE: Photographic nystagmograph, Class 30, No. 186078

SOURCE: Izobret prom obraz tov zn, no. 18, 1966, 88

TOPIC TAGS: vision, nystagmus, nystagmography, photographic nystagmograph,  
*photography, medical research*

ABSTRACT: An Author Certificate has been issued for a photographic nystagmograph. The device consists of a rotating disk with variously colored objects attached at




Fig. 1. Photographic nystagmograph

1 - Rotating disk; 2 - test objects;  
3 - photographic recorder; 4 - optical  
system; 5 - ball mirror; 6 - wire  
cantilever; 7 - contact lens; 8 - half  
mask; 9 - cantilever for horizontal  
nystagmography.

Card 1/2

UDC: 617.761-009.24-073.96:615.471

L 07803-67

ACC NR: AP6033485

various distances from one another. Also included is a mechanism for photographically recording nystagmograms. An optical system is used to observe the subject's eye visually. To reproduce nystagmus and its photographic record accurately with a minimum of preliminary adjustment, the device is equipped with a reflecting ball mirror as shown in Fig. 1. A variation of the above is designed to obtain a sharp nystagmogram by virtue of the half-mask shown in Fig. 1; either black chamois or dark green cloth can be attached to the mask as a background for the mirror. A second variation is equipped for nystagmography when patients are bedridden, using a cantilever which can be attached to the back of the bed and shifted in various directions (see Fig. 1). Orig. art. has: 1 figure.

SUB CODE: 06/ SUBM DATE: 20Dec61/ ATD PRESS: 5101

Card

2/2 mc

VELIKOV, K. A.

Effect of hypertensive blood on the isolated frog heart.  
Uchen. zapiski vtor. moskov. med. Inst. Stalina 1:123-127 1951.  
(CML 21:3)

1. Clinic for Nervous Diseases (Director -- Prof. A. M.  
Grinshteyn, Active Member AMS USSR).

VELIKOV, N. I.

Dissertation: "The Mechanism of experimental Nystagmus and the Diagnostic Significance of Its Interruption in the Presence of Disease Foci in the Brain." Candidate of Medical Sciences, Second Moscow Medical Institute named after I. V. Stalin, 7 June 54.  
Meditsinskiy Rabotnik, Moscow, 21 May 54.



~~VELIKOV, K. A.~~

VELIKOV, K.A.

Mechanisms of vestibular nystagmus and diagnostic significance  
of disorders in them. Vest. oto-rin. 16 no.3:32-37 Ky-Je '54.  
(MLRA 7:7)

1. Iz kliniki nervnykh bolezney (dir. deystvitel'nyy chlen  
Akademii meditsinskikh nauk SSSR A.M.Grinshteyn) lechebnogo  
fakul'teta II Moskovskogo meditsinskogo instituta imeni I.V.  
Stalina. (NYSTAGMUS,  
\*vestibular, diag.)

VELIKOV, K. A., dotsent

Paroxysmlike pains of vegetative origin in the region of the  
face. Trudy KGMI no.2:153-161 '60. (MIRA 15:7)

1. Iz kafedry nervnykh bolezney - zav. kafedroy dotsent K. A.  
Velikov.

(PAIN) (NERVES, FACIAL—DISEASES)

VESELOVA, T.P.; VOROB'YEV, M.A.; VELIKOVSKAYA, Yu.A.; KOSTENKO, T.F.;  
DOROSHINA, M.V.

Toxicity of hexachloroethane for cattle. Veterinaria 41  
no.4:56-57 Ap '64. (MIRA 17:8)

1. Vsesoyuznyy institut gel'mintologii imeni akademika K.I.  
Skryabina.

VELIKOVSKIY, A.S.; SAVVINA, Ya.D.

Condensate gases as a raw material for the chemical industry.  
Khim i tekhn. topl. i masel 9 no.5:1-6 5 My'64 (MIRA 17:7)

VELIKOVSKY, Vlastimil, inz. CSc.

Conference of researchers and breeders of barley. Vest ust  
zemedel 11 no. 5:196-199 '64.

VELISEK, Antonin

A conversation with the readers of technical periodicals.  
Inz stavby 12 no.8:363-364 Ag '64.

1. Press Department of the Ministry of Building, Prague.

VKLIYEV, M.A.

Study of the stability of Bubnov-Galerkin's method for  
nonstationary problems. Dokl. AN SSSR 157 no.1:16-18 J1 '64  
(MIRA 17:8)

1. Azerbaydzhanskiy gosudarstvennyy universitet im. S.M.  
Kirova. Predstavleno akademikom V.I. Smirnovym.

VELJKOVIC, Vasilije inz.

Ten years of electrical engineering and industries in  
Yugoslavia. Elektroprivreda 17 no. 1: 3-5 Ja '64.

1. Clan Redakcionog odbora, "Elektroprivreda".



BULGARIA / Chemical Technology. Chemical Products. H  
Water Treating. Sewer Waters.

Abs Jour: Ref Zhur-Khimiya, 1958, No 20, 67888.

Author : ~~Velikov B.~~ Keremidchiyeva M.

Inst : Not given.

Title : Iodine Content of Drinking Waters of Varna and  
its Suburbs.

Orig Pub: Tr. Vissh. inst. narod. stopanstvo Varna 1957,  
book 1, 137-144.

Abstract: Data pertaining to the iodine content of ten drink-  
ing water springs supplying Varna are given. Io-  
dine content varies from 2.01 to 36.7  $\mu\text{g/l}$ .

Card 1/1

AKHMEDEYLI, F.S.; VELIKOV, B.G.

New Tertiary remnants in the alpine part of northeastern Azerbaijan.  
Dokl. AN Azerb.SSR 11 no.10:693-697 '55. (MLRA 9:2)

1. Institut geologii imeni akademika I.M.Gubkina AN Azerbaydzhanskey  
SSR. Predstavleno deystviyem chlenom AN Azerbaydzhanskey SSR  
M.M.Aliyevyn.

(Azerbaijan--Geology, Stratigraphic)

VELIKOV, I.I.

Intraarterial Infusion of Procaine in Therapeutic Practice, by N.K. Gorbadei.  
With a supplement : The Treatment of Patients With Hypertension by Intraarterial  
Infusion of Procaine Solution, by I.I. Velikov. New York, Consultants Bureau,  
1960.

135 p. illus., diags., graphs, tables, 24 cm.

Translated from the original Russian.

Bibliography: p. 106-117.

**"APPROVED FOR RELEASE: 09/01/2001**

**CIA-RDP86-00513R001859320006-7**

**APPROVED FOR RELEASE: 09/01/2001**

**CIA-RDP86-00513R001859320006-7"**

EUGENI/Cultivable Plants - General Problems.

A-1

Abs Jour : Ref Zhur - Biol., No 3, 1958, 10662

Author : Iliyev, P., Popov, M., Lazhdakov, P., Popov, Y.,  
Velikov, L., Kal'pchiyev, G., Ilchev, L., Androv, K.,  
Boyadzhiev, V.

Inst : Institute of Biology, Bulgaria .N

Title : The Application of Methods of Stimulation in Agriculture  
and the Results of Experiments in 1954.

Orig Pub : Izv. In-ta biol. Bulg. AN, 1956, 7, 3-42

Abstract : A description is given of the results of experiments on  
stimulation of plant growth which have been conducted in  
Bulgaria since 1952. Stimulation of rice, sugar beet,  
corn, tobacco, and cotton by soaking the seeds in 2-3%  
potassium bromide solution or a 1% hydroquinone solution  
proved successful.

Card 1/1

VELIKOV, K.A., dotsent; GUDINA, O.N., assistant; GORDIYENKO, A.N., kand.med.  
nauk

Diagnosis and treatment of cerebral arachnitis of infectious etiology.  
Trudy KGMi no.10:485-490 '63. (MIRA 18:1)

1. Iz kafedry nervnykh bolezney (zav. kafedroy dotsent K.A.Velikov)  
Kalininskogo gosudarstvennogo meditsinskogo instituta.

Country : BULGARIA  
Category : Cultivated Plants. Potatoes. Vegetables. Melons. M  
Abs Jour : RZhBiol., No 6, 1959, No 24908  
Author : Velikov, L.; B'chvarov, S.  
Inst : Institute of Biology, Bulgarian Academy of  
Sciences.  
Title : Experiments on Stimulating Onion Growth.  
Orig Pub : Izv. In-ta biol. B'lg. AN, 1957, 8, 49-70

Abstract : In 1953-1954, the Institute of Biology "Metodiy Popov" of AS BFR conducted vegetative and field experiments on stimulation of growth and development of the onion. In the capacity of stimulators, solutions of potassium bromide, fluorescein and calcium glycerophosphate were used. Seedling bulbs of the variety Lyaskov 58 were soaked, prior to

Card : 1/3

Country : BULGARIA  
Category : RZHBiol., No 6, 1959, No 24908

Abs Jour : RZHBiol., No 6, 1959, No 24908

Author :

Inst :

Title :

Orig Pub :

Abstract : sowing, in the solution for 40 minutes to 5 hours at a temperature of about 18°. Water-soaked and dry bulbs served as control plants. The 3 percent solution of sodium bromide gave the best stimulation at a one-hour soaking. There were noted an increase of germination and growth energy, a more intensive coloration in the stimulated plants, a more powerful development of the root system and an increase of the onion harvest by 14.8-16.7

Card : 2/3



Country : BULGARIA  
Category : Cultivated Plants. Potatoes. Vegetables. Melons. M  
Abs Jour : RZhBiol., No 6, 1959, No 24908  
Author :  
Inst :  
Title :  
Orig Pub :

Abstract : (39.2-40.4 c/ha) at the expense of developing a larger onion. Recommendations on the utilization of sodium bromide in practice as an onion stimulator are given. -- V. S. Shmal'ko

Card : 3/3

VELIKOV, L.

SCINECE

Periodical: IZVESTIYA. BULLETIN VOL. 8, 1957

VELIKOV, L. Experiments with stimulation of the onion, Allium cepa L.  
p.49.

Monthly List of East European Accessions (EEAI), IC, Vol. 8, no. 10, 2  
February 1959, Unclass.

VELIKOV, L.A.

"Case of Intoxication by Bread Prepared From Flour Infected With 'Intoxication Fungus' (*Fusarium roseum*)" by L. A. Velikov and Yu. A. Troitskiy, Sbornik Nauchnykh Trudov Kuybyshevskogo Instituta Epidemiologii, Mikrobiologii i Gigieny (Collection of Scientific Works of the Kuybyshev Institute of Epidemiology, Microbiology, and Hygiene) 1956, 2, 142-144 (from Sovetskoye Meditsinskoye Referativnoye Obozreniye, Zdravookhraneniye, Gigiyena i Sanitariya, Istoriya Meditsiny, Moscow, No 20, 1956, abstract by Ye. Vishnevskaya, p 76)

"A case of mass intoxication (49 persons) by bread prepared from flour infected with the 'intoxication fungus' is described. The bread consisted of a heavy, 'gluey,' poorly baked dough; it had a musty color and slightly bitter taste. An analysis of the flour disclosed that in addition to its organoleptic properties it was characterized by a low gluten content (to 10 percent), a diminished ability to ferment, an acidity two to three times higher than normal, a positive reaction to hydrogen sulfide and ammonia, and an increase in the number of free amino acids to 95 to 160 milligram percent (normal 30 to 40 milligram percent). An extract of the flour infected with the fungus produced an instant and highly intensive biuretic reaction. A pure culture of the fungus was successfully grown. All data pointed to the necessity for a broad and thorough method of inspection of flour infected with the 'intoxication fungus.' Symptoms of intoxication were headache, dizziness, nausea, vomiting, general weakness, and unstable locomotion. The symptoms were similar to those caused by alcohol intoxication." (U)

5441922

BULGARIA/Cultivated Plants - Potatoes, Vegetables, Melons.

Abstr Jour : Bot Jour - Biol., No 2, 1958, 22330

Author : Velikov, L.I., Bychevov, S.

Inst :

Title :

The Results of Experiments on the Stimulation of Onion Germination.

Orig Pub : Oveshcharstvo i gradinarstvo, 1957, No 2, 39-40.

Abstract : A choice onion used for planting of the Lyaskovskiy 50 variety was treated with a potassium bromide solution 3 : 1000 for one hour before sowing. The control plant was treated by water. These experiments were conducted at the Institute of Biology, Bulgarian Academy of Sciences and in the vegetable selection station of Gorna Oryahovit- sa in 1953-1954. The experiment plants were distinguished by their greater height and produced an average of 276.5 cwt/ha for three years as compared to a yield of 225.2 cwt/ha in the control plants. -- V.S. Shral'ko

Card 1/1

- 79 -

M-2

BULGARIA/Cultivated Plants - Grains.

Abs Jour : Ref Zhur - Biol., No 7, 1958, 297<sup>45</sup>

Author : Velikov, I.I.

Inst : The Institute for Biology in. M. Popov, Academy of Sciences, Bulgaria.

Title : The Effect of Temperature in the Stimulation of Rice Seeds. Preliminary Report.

Orig Pub : Izv. In-ta biol. B<sup>1</sup>lg. AN, 1956, 7, 73-83 (bolg.; rez. russk., rem.).

Abstract : Laboratory experiments made at the Institute for Biology in. M. Popov. Rice seed stimulation in a 0.3% solution of KBr or a 0.1% solution of tannin for 48 hours increased the power of germination. By raising the temperature to 40° the stimulation process was speeded up and reduced from 49 to 5 hours.

Card 1/1

- 52 -

VELIKOV, L. Iv.

Influence of dry stimulation substances on rice seeds. Izv Inst  
biol BAN 11:211-223 '61. (EEAI 10:9)

(Rice)

VELIKOV, L. Iv.

Influence of fertilization on the effect of stimulation on the  
onion. *Allium cepa* L. Izv Inst biol BAN 11:199-209 '61.  
(EEAI 10:9)

(Onions) (Fertilizers and manures)

VELIKOV, MIKHAIL ANDREYEVICH

E/5  
622.382  
.v4  
1954

Dinamika Ruslovykh Potokov (Dynamics of River Beds) Izd. 3., Polnost'yu Perer.  
Moskva, Gostekhizdat, 1954-

V. Illus.

Lib. Has: v. 1



VELIKOV, N.; PACHEV, T.

Private use of public funds in socialism, and its nature.  
Trud tseni 5 no. 9: 1-13 '63.

GORSKIY, A.I.; VELIKOV, T.M.; KLEYMAN, Ya.M.; PSAK'YAN, P.P.;  
FEYGELEVICH, M.V.; KHAYMOV, Ye.S.

Automatic and remote control of mining installations.  
Gor. zhur. no.7:12-19 J1 '56.

(MLRA 9:9)

1. Yuvmetallurgavtomatika.

(Mining machinery) (Automatic control) (Remote control)

VELIKOV, TS.

Stand for testing and regulating oil pumps and filters made in Bulgaria.

P. 14, (Mashinizirano Zemedelie) Vol. 8, no. 2, Feb. 1957, Sofia, Bulgaria

SO: Monthly Index of East European Accessions (EEAI) Vol. 6, No.11 November 1957

VELIKOV, Yu. Kh, Cand Phys,-Math Sci -- (diss) "The Effects of  
Crystalline Structure Defects on the Inner Friction of Certain  
Ionic Crystals," Moscow, 1960, 20 pp, 150 copies (Institute of  
Crystallography, AS USSR) (KL, 49/60, 125)

SKRAMOVSKY, S.; VELIKOVA, L.

Quantitative determination of small quantities of soluble fluorides  
and gaseous hydrofluoric acid. Cas. česk. lek. Ved. priloha 63 no.9-  
12:299-306 Dec 1950. (CML 20:9)

1. Of the Institute of Industrial Medicine, Prague.

VELIKOVA, L.; METYS, R.

Contribution to the picture of progressive myositis ossificans.  
Cas. lek. cesk. 102 no.27/28:762-763 8 JI '63.

1. Ustredni rentgen, odd. Thomayerovy nemocnice v Praze 4-Kroi,  
vedouci MUDr. Fr. Bilek Interni a rentgenologicka katedra UDL  
v Praze, vedouci doc. dr. O. Smahel, DrSc., a MUDr. J. Slanina.

(MYOSITIS OSSIFICANS) (TOES)

(CERVICAL VERTEBRAE) (SKULL)

(THORACIC RADIOGRAPHY)

CZECHOSLOVAKIA

VELIKOVA, L., Central X-Ray Department (Ustredni rentgenologicke oddeleni) Thomayer Hospital, Prague 4 - Krc, Frantisek BILEK, MD, director; and METYS, R., Chair of Internal Medicine and Roentgenology (Interni a rentgenologicka katedra), UDL (Ustav pro doskolevani lekaru; Institute for Postgraduate Training of Physicians), Prague, Docent Dr O. SAHAL, Dr of Sciences and J. SLAHINA, MD, directors.

"Contribution to the Occurrence of Progressive Myositis ossificans"

Prague, Casopis Lekarů Ceskych, Vol CII, No 27-28, 6 July 1963, pp 762-763.

Abstract 'Authors' english summary! :A report on progressive myositis ossificans with congenital malformations of the big toes, cervical spine, and skull in a ninety-year old patient. Eleven references, including 5 Czech.

CA

7

Determination of small quantities of fluorides and gaseous  
hydrofluoric acid. St. Skramovský and L. Veličková.  
*Časopis Českého Lithniace* 68, 200-306(1931)(English  
summary). --Detm. of 10-500  $\gamma$  F and HF can be achieved  
by dissolving in cold  $H_2SO_4$  and reacting with  $(NH_4)_2MoO_4$ .  
The quantity of the yellow  $H_2Si(MoO_4)_2$  formed is detd.  
spectrophotometrically at 420 m $\mu$ . Oldrich Sebek



VELIKOVA, V. K., MOSTOVA, R. S., KOSHKIN, M. L.

"Irradiation of Quarters with Natural and Artificial Ultraviolet  
Radiation as a Method of Preventing Aerogenic Infections."

report submitted at the 13th All-Union Congress of Hygienists, Epidemiologists  
and Infectionists, 1959.

VELICKOVIC, D.

Technical and economic problems in the field of thermoelectric power. p. 173.

ELEKTROPRIVREDA. (Zajednica jugoslovenske elektroprivrede)  
Beograd, Yugoslavia. Vol. 12, no. 4/5, Apr./May 1959.

Monthly list of the East European Accessions (EEAI) LC, Vol. 8, no. 4, Aug. 1959.

Uncl.

VELICKOVIC, D.

Contribution to the analysis of the process of combustion of fuel on furnace  
grates. p.127.

ZBORNIK RADOVA. (Srpska akademija nauka. Masinski institut.)  
Beograd, Yugoslavia. Vol. 60, 1959.

Monthly List of East European Accession (EEAI) LC, Vol. 8, no. 8, Aug. 1959.

Uncl.

VELICKOVIC, J.

Bibliography of works by Vladimir V. Farnakovskii, professor at the University of Belgrade. p. 7.

ZBORNIK RADOVA. (Srpska akademija nauka. Masinski institut.)  
Beograd, Yugoslavia. Vol. 60, 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, no. 8, Aug. 1959.

Uncl.